



SportsEdge®

Safety. Quality. Versatility. Aesthetics.

XT SLOT DRAIN SYSTEM



www.sportsedge.com

SportsEdge® XT Slot Drain System

SportsEdge is a division of ABT,® Inc.; the leading manufacturer of Trench Drain and Surface Drainage Systems in the United States.

All SportsEdge track drainage systems have been developed after extensive market research with athletic directors, owners, and designers. The results lead us to new generation drainage systems and designs that consider the Athlete's Safety, Aesthetics, and shrinking Budgets. This began with our SportsEdge PRO and LT drainage systems that utilize polymer concrete drain channels and flexible edging, and has continued through with our XT Slot Drain System.



XT Slot Drain System:

- **Athlete's Safety:** Minimizes Exposed Hard Surfaces.
- **A.D.A Compliant: 12mm slot**
- **Longevity:** Engineered for strength and durability
- **Aesthetics:** Clean Lines and unmatched finished appearance.
- **Cost Effective:** Fits well within even the tightest high school budget.
- **Hydraulics:** PVC's Low Roughness Coefficient Improves Flow.

XT-4 Slot Drain Specifications

Material: Polymer Concrete & PVC
 Slot Width: 12mm (.47 in)
 Tensile Strength (min.): 8mpa (1,200 psi)
 Absorption: < 0.2%
 Length: 1000mm (39.19 in)
 Inside Width: 102mm (4.0 in)
 XT Slot Drain Weight: 15 lbs Each


Compressive Strength (min.): 80mpa (12,000 psi)
 Bending Strength (min.): 14mpa (2,000 psi)
 Freeze-Thaw: 1600 Cycles- No Weight Loss
 Overall Width: 121mm (4.75 in)
 Overall Depth: 189 mm (6.9375 in)
 XT Catch Basin Weight: 67.0 lbs each

XT-6 Slot Drain Specifications


Material: Polymer Concrete & PVC
 Slot Width: 12mm (.47 in)
 Tensile Strength (min.): 8mpa (1,200 psi)
 Absorption: < 0.2%
 Length: 1000mm (39.19 in)
 Inside Width: 153mm (6.0 in)
 XT Slot Drain Weight: 19.5 lbs Each

Compressive Strength (min.): 80mpa (12,000 psi)
 Bending Strength (min.): 14mpa (2,000 psi)
 Freeze-Thaw: 1600 Cycles- No Weight Loss
 Overall Width: 168mm (6.625 in)
 Overall Depth: 203mm (8 in)
 XT Catch Basin Weight: 67.0 lbs each



XT-4 Slot Drain Details



XT-6 Slot Drain Details



This versatile and economical drain system has only a 2" wide inlet surface with a continuous 12mm drain slot. The XT Catch Basin cover is removable and allows for easy access for clean out and maintenance purposes. There are many other design and cross section details available. AutoCAD drawings and specifications are also available upon request.



DISCLAIMER: The customer and the customer's architects, engineers, consultants and other professionals are completely responsible for the selection, installation, and maintenance of any product purchased from ABT, and EXCEPT AS EXPRESSLY PROVIDED IN ABT'S STANDARD WARRANTIES, ABT MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTABILITY, OR FITNESS OF THE PRODUCT FOR CUSTOMER'S APPLICATION. Copies of ABT's standard warranties are available upon request.



800-334-6057
FAX: 704-528-0179